

Mounting Instructions for mounting 2010 Wolfman and Backroads Moto Side Racks

WR250R/X 08-

This kit contains the following:

Quantity	Description
1	Left rack
1	Right rack
2	8mmx35mm Hex
4	8mmx25mm Hex
2	8mmx20mm Hex
1	6mmx35mm Flat Head
1	6mm Lock Nut
3	8mm lock Nut
1	6mm Washer
12	8mm Washer (small)
1	8mm Washer (large)

Tools needed

BLUE or a Medium Strength Locktite or thread locker

13mm end wrench and socket

10mm end wrench

6mm Hex wrench

4mm Hex wrench

T25 Torx

These Racks are intended to be used only with the Wolfman Expedition Dry Saddlebags and Teton Saddlebags.

Read and understand these instructions before touching your bike, rack or a wrench

Be Sure To Locktite All Bolt's

1. Remove passenger pegs, RT and LT (heat may be required).
2. Remove helmet lock.
3. For easier installation remove rear fender (not required).

Right side rack

1. Install upper mounting bracket using one 8mmx20mm hex bolt with 8mm washer (small) and lock nut, in front mounting point just behind exhaust mount. Install one 8mmx25mm hex bolt with 8mm washer (small) in back mount hole, place one 8mm washer (large) and 8mm lock nut on top, Tighten. SEE FIG 1
2. Using one 8mmx25mm hex bolt, two washers (small) and 8mm lock nut, mount rack to top mount point. DO NOT TIGHTEN AT THIS TIME SEE FIG 2



FIG 1




FIG 2

3. Apply locktite on two 8mmx25mm hex bolts with washers (small), thread into lower mount point with passenger pegs on outside of rack. SEE FIG 3
4. Tighten all bolts on RT side.



FIG 3

Left side rack

1. Apply locktite to one 8mmx20mm hex head bolt with washer (small), install through upper mounting point and start. **DO NOT TIGHTEN AT THIS TIME** SEE FIG 4
2. Apply locktite to two 8mmx35mm with washer (small), start bolts in lower mount point with passenger peg outside of rack. SEE FIG 5



FIG 4



FIG 5

3. Using one 6mmx35mm flat head washer and lock nut mount helmet lock to rack.
4. Tighten all bolts on LT side.

If you have any questions call or email Berg Briggs at:
1-307-690-0452
berg@brmoto.com